

DT05

1000268687

Home >> Catalog >> Products >> Dumpers >> Track dumpers >> DT05



DT05

Material number 1000268687

The Wacker Neuson DT05 track dumper can be maneuvered with centimeter-accuracy over any subbase thanks to its compact dimensions and its precise control..

Product details

- Hydrostatic drive
- •Small dimensions
- •Diesel or gasoline engine
- •Hanging suspension-mounted rollers
- •Smooth ride characteristics

Standard Components

General

- •Payload max. 500 kg
- •Length/width/height: 1,630/660/1,185 mm
- Operating hour meter
- •Engine hood and running board
- Without skip

Engine

- •Air-cooled Honda gasoline engine, model GX 200, 1-cylinder / 163 ccm, max. engine output 4.5 kW (6.1 hp), nominal speed 3,600 rpm
- •With cable pull starter

Hydraulics

- •Hydrostatic drive system with 2 travel speeds
- •3 gear pumps (25 l/min)
- •Hydrostatic parking brake

Errors and omissions are reserved. The information in this data sheet is based on present knowledge. However, this neither guarantees specific product features nor establishes a legally valid contractual relationship.



Technical specifications

DT05

ENGINE	Metric
Inclined position max.	20,0 °
Cylinder	1
Stroke	54 mm
Cooling	air cooling
Engine Manufacturer	Honda, Honda
Cylinder capacity	163 cm3, 196 cm3
Nominal Engine speed	3.600 1/min, 3.600 1/min
Effective power	4,5 kW, 4,5 kW
Engine Designation	GX200, GX200
Bore	68 mm
Engine type	Gasoline engine, Gasoline engine
SHIPPING AND STORAGE	Metric
Shipping weight	420,00 kg
MECHANICAL - OUTPUT DETAILS	Metric
theor. Gradeability	36 %
Travel speed	3,9 km/h
HYDRAULIC	Metric
Hydraulicpump	ZRP
Flow rate max.	30 l/min
ENVIRONMENT DATA	Metric
Sound level LpA (Standard)	13
Exhaust-gas limit	EU Stage V

Errors and omissions are reserved. The information in this data sheet is based on present knowledge. However, this neither guarantees specific product features nor establishes a legally valid contractual relationship.

Sound power LWA, guaranteed	99,0 dB(A)
Sound level LpA	83,0 dB(A)
Sound power LWA (Standard)	08
CO2 (NRSC)	757,0 g/KWh

MECHANICAL DETAILS	Metric
Operating weight (minmax.)	495 - 620 kg
Skip capacity heaped	313 I
Skip capacity levelled	273
Length	1.630 mm
Skip	Front tip skip
Payload max.	500 kg
Height	1.185 mm
Width	660 mm
Weight	370,00 kg
-	

Please Note

This product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the started power may vary due to specific operating conditions. Subject to alterations and errors expected. Applicable also to illustrations.

Copyright © 2024 Wacker Neuson SE